




580 Fifth Avenue
Suite 706
New York, N.Y. 10036
Tel: (212) 704-0727
Fax: (212) 764-7614

The information contained in this report represents the opinion of American Gemological Laboratories regarding the characteristics of the colored stone(s) submitted for examination.

The conclusions expressed are the American Gemological Laboratories' interpretation of the results obtained from gemological instruments and grading techniques designed for this purpose. Conclusions may vary, within reasonable tolerances, due to the subjective nature of colored stone analysis.

DOCUMENT NO: *CS 21558 (DUPLICATE)*

DATE: *11 April, 1985*



IDENTIFICATION: *Natural Sapphire**

CLARITY GRADE: *MI₁**

SHAPE AND CUT: *Cushion Antique Mixed Cut*

CUTTING GRADE: *Good (5)*

CARAT WEIGHT: *1.26 Cts.*

Depth % *74.8%*
Brilliancy Range *70 - 100%*
Brilliancy Average *80 - 90%*

MEASUREMENTS: *6.73 x 5.10 x 4.19 mm.*

FINISH GRADE: *Good (4)*

COLOR GRADE: *3.5/85*

NOTE: All color determinations are subject to the color temperature of the light source and the color sensitivity of the observer. The quality and commercial desirability of any color is determined by examining the interrelationships of ALL factors related to Color Grade, including Color Rating, Tone, and Dichroic Effect. Conclusions may vary, within reasonable tolerances, due to the subjective nature of colored stone analysis. Mounted stones are graded only to the extent that mounting permits examination.

Color Rating/Tone *3 - 4 / 85 - 90*

Color Scan *B₇₀ V₁₅ G/Gy₁₅*

Light Source *Duro-Test: Vita Lite*

COMMENTS: **Heat induced color alteration present¹.
Faint texture and moderate to strong dichroic effect² present.

1	2	3	4	5	6	7	8	9	10
Excellent	Very Good		Good		Fair		Poor		

Color Rating (AGL)

0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100			
V. Light				Light				Light - Med.				Medium				Medium - Dark				Dark - V. Dark			

Tone (AGL) (0 = Colorless 100 = Black)

FI	LI ₁	LI ₂	MI ₁	MI ₂	HI ₁	HI ₂	EI ₁	EI ₂	EI ₃
Free of Incl.	Lightly Included		Moderately Included		Highly Included		Excessively Included		

Clarity Scale (AGL)

1	2	3	4	5	6	7	8	9	10
Excellent	Very Good		Good		Fair		Poor		

Cutting / Proportions / Finish (AGL)

NOTICE TO CLIENTS: The client agrees to be responsible for and to protect, indemnify and hold harmless American Gemological Laboratories, Inc., and its officers, directors and employees from and against any and all injury, loss, damage, destruction or otherwise of said gem materials while in the possession of American Gemological Laboratories resulting from any cause not attributable to the negligence of American Gemological Laboratories or its employees.

The client agrees that this report is for his / her exclusive use.

Neither the American Gemological Laboratories nor any of its employees shall be responsible for any action that may be taken on the basis of this report.

This document or the name of American Gemological Laboratories, Inc. may not be reproduced in whole or in part without the express, prior written authorization from American Gemological Laboratories.

Do not accept copies, alterations or corrections on this document for final transactions.

This report prepared by: **American Gemological Laboratories, Inc.**

C. F. Beesley, President